

Day : Wednesday

Date: 11/30/2005

Time: 11:23:10

 PALM INTRANET

Inventor Information for 10/516869

Inventor Name	City	State/Country
THELANDER, ULF	STORGATAN	SWEDEN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1584	((magnet\$3 near core) with coil\$1) and (core with(move or moving or movable) with (part\$1 or portion\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:19
L6	280	L5 and (insulat\$3 with support\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:20
L7	18	L6 and ((ring or annular) with bearing\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 13:58
L8	2	7 and (induct\$3 with heat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 13:58
L9	3938	(induction with heat\$3) and ((ring or annular) with (bearing or shap\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:19
L10	5	9 and ((magnet\$3 near core) with coil\$1) and (core with(move or moving or movable) with (part\$1 or portion\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:05
L11	1	10 and (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:20
L12	2509	(219/642,659,635,658,659,670,676, 672).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 14:18
L14	2661	(219/642,659,635,658,659,670,676, 672,671).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 14:18

L15	377	(361/149).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 14:18
L16	3036	14 or 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 14:18
L17	177	16 and (induction with heat\$3) and ((ring or annular) with (bearing or shap\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:19
L18	4	17 and ((magnet\$3 near core) with coil\$1) and (core with(move or moving or movable) with (part\$1 or portion\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:19
L19	2	18 and (insulat\$3 with support\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/30 14:20